

Sexual dysfunction related to psychotropic drugs.

References (updated to 16/06/2011)

Disfunzioni sessuali da psicofarmaci.

Bibliografia (aggiornata al 16/06/2011)

Author:

Antonio La Torre, M.D., psychiatrist.

Correspondence: U.O. di Psichiatria, Ospedale di Rovereto, Rovereto (Tn), Italy.

E-mail: info@antoniolatorre.it

1. Aizenberg D, Modai I, Landa A, Gil-Ad I, Weizman A:
Comparison of sexual dysfunction in male schizophrenic patients maintained on treatment with classical antipsychotics versus clozapina.
J Clin Psychiatry, 62, 7, 541-544, 2001
2. Aizenberg D, Sigler M, Zemishlany Z, Weizman A:
Lithium and male sexual function in affective patients.
Clin. Neuropharmacol., 19, 515–519, 1996
3. Aizenberg D, Zemishlany Z, Dorfman-Etrog P, Weizman A:
Sexual dysfunction in male schizophrenic patients.
J Clin Psychiatry, 56, (4), 137-41, 1995
4. Akhtar S, Thomson JA Jr:
Schizophrenia and sexuality: a review and a report of twelve unusual cases, part I.
J Clin Psych, 41, 134–142, 1980
5. Akhtar S, Thomson JA Jr:
Schizophrenia and sexuality: a review and a report of twelve unusual cases, part II.
J Clin Psych, 41, 166–174, 1980
6. Althof SE:
Pharmacological treatment of rapid ejaculation.
Psychiatr Clin North Am, 18, 1, 85-94, 1995
7. Althof SE, Levine SB, Corty EW, Risen CB, Stern EB, Kurit DM:
A double-blind crossover trial of clomipramine for rapid ejaculation in 15 couples.
J Clin Psychiatry, 56, 9, 402-407, 1995
8. Althof SE, Resnick K, Levine S, Seftel AD, Stern E, Rosenblatt E, Risen C:
Early experience with clomipramine for rapid ejaculation.
J Urol, 153, 4, 474A, 1995
9. American Psychiatric Association:
DSM-IV-TR.
Masson, 2002

10. American Psychiatric Association:
DSM 5 Development.
Available on line: <http://www.dsm5.org/Pages/Default.aspx>
11. American Psychiatric Association :
Practise guidelines for the treatment of patients with schizophrenia.
Second edition. April 2004
http://www.psychiatryonline.com/pracGuide/pracGuideTopic_6.aspx
12. Andriani E, Contini L:
Impiego del citalopram nell'eiaculazione precoce
Giorn. Italiano di Andrologia, 4, 1, 36-39, 1997
13. Angst J:
Sexual problems in healthy and depressed persons.
Int. Clin. Psychopharmacol., 13, (suppl. 6), S1–S4, 1998
14. Ashton AK, Mahmood A, Iqbal F:
Improvements in SSRI/SNRI-induced sexual dysfunction by switching to escitalopram
J Sex Marital Ther, 31, 257-262, 2005
15. Assalian P, Fraser R, Tempier R, Cohen D:
Sexuality and quality of life of patients with schizophrenia.
Int J Psychiatr Clin Pract., 4, 29-33, 2000
16. Atmaca M, Kuloglu M, Tezcan E:
A new atypical antipsychotic: quetiapine-induced sexual dysfunctions.
Int J Imp Res., 17, 201-203, 2005
17. Atmaca M, Kuolglu M, Tezcan E, Semercioz A:
The efficacy of citalopram in the treatment of premature ejaculation: a placebo-controlled study.
Int J Impot Res, 14, (6), 502-505, 2002
18. Baggaley M :
Sexual dysfunction in schizophrenia : focus on recent evidence.
Hum Psychopharmacol., 23, 201-209, 2008
19. Baldwin DS:
Depression and sexual dysfunction.
Br Med Bull., 57, 81-99, 2001
20. Baldwin DS
Sexual dysfunction associated with antidepressant drugs
Expert Opin Drug Saf., 3 (5), 457-70, 2004
21. Baldwin D, Mayers A:
Sexual side-effects of antidepressant and antipsychotic drug.
Advances in Psychiatric Treatment, 9, 202-210, 2003

22. Balon R:
SSRI-Associated Sexual Dysfunction
Am J Psychiatry , 163, 1504-1509, 2006
23. Balon R:
The DSM Criteria of Sexual Dysfunction: Need for a Change.
J Sex Marital Ther, 34, 186-197, 2008
DOI: 10.1080/00926230701866067
24. Balon R, Segraves RT, Clayton A:
Issues for DSM-V: sexual dysfunction, disorder, or variation along normal distribution: toward rethinking DSM criteria of sexual dysfunctions.
Am J Psychiatry, 164, 2, 198-200, 2007
25. Balon R, Segraves RT:
Survey of treatment practices for sexual dysfunction(s) associated with anti-depressants.
J Sex Marital Ther, 34, (4), 353-65, 2008
26. Balon R, Yeragani VK, Pohl R, Rasmesh C:
Sexual dysfunction during antidepressant treatment.
J Clin Psychiatry, 54, 209-212, 1993
27. Bandelow B, Chouinard G, Bobes J, Ahokas A, Eggers I, Liu S, :
Extended release quetiapine fumarate (quetiapine XR): a once-daily monotherapy effective in generalized anxiety disorder. Data from a randomized, double-blind, placebo- and active-controlled study.
Int J Neuropsychopharm (CINP), 13, 3, 305–320, 2009
28. Basson R, Berman J, Burnett A, Derogatis L, Ferguson D, Fourcroy J, Goldstein I, Graziottin A:
Report of The International Consensus Development Conference On Female Sexual Dysfunction: Definitions and Classifications.
J Urol., 163, 888-893, 2000
29. Behnke K, Sogaard J, Martin S, Bäuml J, Ravindran AV, Ågren H, Vester-Blokland ED:
Mirtazepine orally disintegrating tablet versus sertraline: a prospective onset of action study.
J Clin Psychopharmacol., 23, 4, 358-364, 2003
30. Ben Zion IZ, Tessler R, Cohen L, Lerer E, Raz Y, Bachner-Melman R, Gritsenko I, Nemanov L, Zohar AH, Belmaker RH, Benjamin J, Ebstein RP:
Polymorphisms in the dopamine D4 receptor gene (DRD4) contribute to individual differences in human sexual behavior: desire, arousal and sexual function.
Molecular Psychiatry, 11, 782–786, 2006
31. Benazzi F:
Involuntary sperm emission with fluoxetine.
Can J Psychiatry, 40, 7, 431, 1995
32. Berner MM, Hagen M, Kriston L:

Management of sexual dysfunction due to antipsychotics drug therapy.
Cochrane Database Syst Rev, 24, (1), CD003546, 2007

33. Biri H, Isen K, Sinik Z, Onaran M, Kupeli B, Bozkirli I:
Sertraline in the treatment of premature ejaculation : a double-blind placebo controlled study.
Int Urol Nephrol, 30, 5, 611-615, 1998
34. Bishop JR, Ellingrod VL, Akroush M, Moline J:
The association of serotonin transporter genotypes and selective serotonin reuptake inhibitor (SSRI)-associated sexual side effects: possible relationship to oral contraceptives.
Hum. Psychopharmacol Clin Exp., 24: 207–215, 2009
35. Bishop JR, Moline J, Ellingrod VL, Schultz SK, Clayton AH:
Serotonin 2A-1438 G/A and G-Protein Beta 3 subunit C825T polymorphisms in patients with depression and SSRI-associated sexual side effects.
Neuropsychopharmacology, 31, 2281-2288, 2006
36. Bitter I, Basson BR, Dossenbach MR:
Antipsychotic treatment and sexual functioning in first-time neuroleptic-treated schizophrenic patients.
Int Clin Psychopharmacol., 20, 19-21, 2005
37. Bobes J, Garcia-Portilla MP, Rejas J Hernandez G, Garcia-Garcia M, Rico-Villademoros F, Porras A:
Frequency of sexual dysfunction and other reproductive side-effects in patients with schizophrenia treated with risperidone, olanzapine, quetiapine, or haloperidol: the results of the EIRE Study.
J Sex Marital Ther., 29, (2), 125-147, 2003
38. Bonierbale, M., Lançon, C. & Tignol, J.:
The ELIXIR study: evaluation of sexual dysfunction in 4557 depressed patients in France.
Curr. Med. Res. Opin. 19, 114–124, 2003
39. Breier A.F., Malhotra AK, Su T-P, Pinals DA, Elman I, Adler CM, Lafargue RT, Clifton A, Pickar D:
Clozapine and risperidone in chronic schizophrenia: effects on symptoms, parkinsonian side effects, and neuroendocrine response.
Am J Psychiatry, 156, 294-298, 1999
40. Brugnoli R, Novick D, Belger M, Brown J, Germani S, Donda P, Rossi A, Pancheri P:
Effectiveness of antipsychotic treatment for schizophrenia: Italian results of the pan-European Schizophrenia Outpatient Health Outcomes (SOHO) study after 12 months.
Giorn Ital Psicopat., 12, 283-292, 2006
41. Boyarsky BK, Haque W, Rouleau MR, Hirschfeld RM:
Sexual functioning in depressed outpatients taking mirtazapine.
Depress Anxiety, 9, (4), 175-9, 1999

42. Boyarsky BK, Hirschfeld RM:
The management of medication-induced sexual dysfunction
Essential Psychopharmacology, 3, (2), 39-58, 2000
43. Byerly MJ, Lescouflair E, Weber MT, Bugno RM, Fisher R, Carmody T, Varghese F, Rush J:
An open-label trial of quetiapine for antipsychotic-induced sexual dysfunction.
J Sex Marital Ther., 30, 325-332, 2004
44. Byerly MJ, Nakonezny PA, Bettcher BM, Carmody T, Fisher R, Rush AJ:
Sexual dysfunction associated with second-generation antipsychotics in outpatients with schizophrenia or schizoaffective disorder: an empirical evaluation of olanzapine, risperidone, and quetiapine.
Schizophr Res., 86, (1-3), 244-250, 2006
45. Calandra C, Terranova F, Loiacono P, Caudullo V, Russo RG, Luca M, Cafiso M:
Bupropione nel trattamento del disturbo depressivo maggiore: confronto con paroxetina
Giorn. Ital Psicopat., 16, 128-133, 2010
46. Casey DE, Carson WH, Saha AR, Liebeskind A, Ali MW, Jody D, Ingenito GG:
Switching patients to aripiprazole from other antipsychotic agents: a multicenter randomized study.
Psychopharmacol., 166, 391-399, 2003
47. Chrzanowski WK, Marcus RN, Torbeyns A, Nylas M, McQuade RD:
Effectiveness of long-term aripiprazole therapy in patients with acutely relapsing or chronic, stable schizophrenia: a 52-week, open-label comparison with olanzapine.
Psychopharmacol., 189, 259-266, 2006
48. Clayton AH, Croft HA, Horrigan JP, Wightman DS, Krishen A, Richard NE, Modell JG:
Bupropion extended release compared with escitalopram: effects on sexual functioning and antidepressant efficacy in 2 randomized, double-blind, placebo-controlled studies.
J Clin Psychiatry, 67, (5), 736-746, 2006
49. Clayton A, Keller A, McGarvey EL:
Burden of phase-specific sexual dysfunction with SSRIs.
J Affect Disord, 91, 27-32, 2006
50. Clayton A, Kornstein S, Prakash A, Mallinckrodt C, Wolreich M:
Changes in sexual functioning associated with duloxetine, escitalopram, and placebo in the treatment of patients with major depressive disorder.
J Sex Med, 4, (1), 917-29, 2007
51. Clayton AH, McGarvey EL, Abouesh AI, Pinkerton RC
Substitution of an SSRI with bupropion sustained release following SSRI-induced sexual dysfunction.
J Clin Psychiatry, 62, (3), 185-90, 2001

52. Clayton AH, McGarvey EL, Clavet GJ:
The Changes in Sexual Functioning Questionnaire (CSFQ): development, reliability, and validity.
Psychopharmacol. Bull. 33, 731–745, 1997
53. Clayton AH, Pradko JF, Croft HA, Montano CB, Leadbetter RA, Bolden-Watson C, Bass KI, Donahue RM, Jamerson BD, Metz A. :
Prevalence of sexual dysfunction among newer antidepressants.
J Clin Psychiatry , 63, 357–366, 2002
54. Clayton AH, Zajecka J, Ferguson JM, Filipiak-Reisner JK, Brown MT, Schwartz GE:
Lack of sexual dysfunction with the selective noradrenaline reuptake inhibitor reboxetine during treatment for major depressive disorder.
Int Clin Psychopharmacol., 18, (3), 151-6, 2003
55. Clayton AH, Warnock JK, Kornstein SG, Pinkerton R, Sheldon-Keller A, McGarvey EL :
A placebo-controlled trial of bupropion SR as an antidote for selective serotonin reuptake inhibitor-induced sexual dysfunction.
J Clin Psychiatry , 65, (1), 62-7, 2004
56. Cociglio G :
Depressione e sessualità
Hippocrates Edizioni Medico-Scientifiche, Milano, 2001
57. Cohen S, Kühn K-U, Bender S, Erfurth A, Gastpar M., Murafi A, Rothermundt M, Signerski J, Sträter B, Teusch L, Weig W, Welling A, Westheide J, Huber TJ:
Sexual impairment in psychiatric inpatients: focus on depression.
Pharmacopsychiatry, 40, 2, 58-63, 2007
58. Coleman C, King B, Bolden-Watson C, Bolden- Watson C, Book M J, Segraves RT, Richard N, Ascher J, Batey S, Jamerson B, Metz A:
A placebo-controlled comparison of the effects on sexual functioning of bupropion sustained release and fluoxetine.
Clin Therapeutics, 23, 7, 1040-1058 , 2001
59. Compton MT, Miller AH:
Priapism associated with conventional and atypical antipsychotic medications: a review.
J Clin Psychiatry, 62, (5), 362-366, 2001
60. Compton MT, Miller AH:
Sexual side effects associated with conventional and atypical antipsychotics.
Psychopharmacol Bull., 35, 3, 89-108, 2001
61. Compton MT, Miller AH:
Antipsychotic-induced hyperprolactinemia and sexual dysfunction.
Psychopharmacol Bull., 36, 1, 143-164 , 2002
62. Conley RR, Kelly DL:
Second-generation antipsychotics for schizophrenia: a review of clinical

pharmacology and medication-associated side effects.
Isr J Psychiatry Relat Sci., 42, 1, 51-60, 2005

63. Conley RR, Mahmoud R:
A randomized double-blind study of risperidone and olanzapine in the treatment of schizophrenia or schizoaffective disorder.
Am J Psych, 158, 765–774, 2001
64. Corona G, Ricca V, Bandini E, Mannucci E, Lotti F, Boddi V, Rastrelli G, Sforza A, Faravelli C, Forti G, Maggi M:
Selective Serotonin Reuptake Inhibitor-Induced Sexual Dysfunction.
J Sex Med, 6, 5, 1259-69, 2009
65. Costa AM, de Lima MS, Faria M, Filho SR, de Oliveira IR, de Jesus Mari J:
A naturalistic, 9-month follow-up, comparing olanzapine and conventional antipsychotics on sexual function and hormonal profile for males with schizophrenia.
J Psychopharmacol, 21, 165–170, 2007
66. Costa AM, Lima MS, Mari Jde J:
A systematic review on clinical management of antipsychotic-induced sexual dysfunction in schizophrenia
Sao Paulo Med J, 124, (5) 291-7, 2006
67. Crenshaw TL, Goldberg JP, Stern WC:
Pharmacologic modification of psychosexual dysfunction.
J Sex Marital Ther., 13, 239-252, 1987
68. Croft H, Settle E, Houser T, Batey SR, Donahue RMJ, Ascher JA:
A placebo-controlled comparison of the antidepressant efficacy and effects on sexual functioning of sustained-release bupropion and sertraline.
Clinical Therapeutics, 21, 4, 643-658, 1999
69. Cutler AJ:
Sexual dysfunction and antipsychotics treatment.
Psychoneuroendocrinology, 28, suppl. 1, 69-82, 2003
70. Cutler AJ, Montgomery SA, Feifel D, Lazarus A, Astrom M, Brecher M:
Extended release quetiapine fumarate monotherapy in major depressive disorder: a placebo- and duloxetine-controlled study.
J Clin Psych, 70, 526–539, 2009
71. David SR, Taylor CC, Kinon BJ, Breier A :
The effects of olanzapine, risperidone, and haloperidol on plasma prolactin levels in patients with schizophrenia.
Clin Ther, 22, 9, 1085-96, 2000
72. Davidson JRT:
Sexual dysfunction and antidepressant.
Depression, 2, 233-240, 1995

73. Degen K:
Sexual dysfunction in women using major tranquilizers
Psychosomatics, 23, 9, 959-961, 1982
74. Delgado PL, Brannan SK, Mallinckrodt CH, Tran PH, McNamara RK, Wang F, Watkin JG, Detke MJ:
Sexual Functioning Assessed in 4 Double-Blind Placebo- and Paroxetine-Controlled Trials of Duloxetine for Major Depressive Disorder
J Clin Psychiatry , 66, 686-692, 2005
75. Derogatis LR, Mellisaratos N:
The DSFI: A Multidimensional Measure of Sexual Functioning.
J Sex Marital Ther, 5, 244-281, 1979
76. Dervaux A, El Omari F:
Sexual dysfunction in schizophrenics patients, the role of antipsychotics.
Presse Med, 34, (7), 529-32, 2005
77. Deschenes S, Courtois F, Lafond J:
Potential side effects of clozapine on the sexual function of schizophrenic man.
J Sex Educ Ther., 26, 4, 334-339, 2001
78. Devane CL:
Comparative safety and tolerability of selective serotonin reuptake inhibitors.
Human Psychopharmacology , 10, (suppl.3), 185-193, 1995
79. DeVeaugh-Geiss J, Landau P, Katz R :
Preliminary results from a multi-center trial of clomipramine in obsessive-compulsive disorder.
Psychopharm Bull, 25, 36-40, 1989
80. Devinsky O:
Neurologist-induced sexual dysfunction: Enzyme-inducing antiepileptic drugs
Neurology, 65, (7), 980 – 981, 2005.
81. Dhillon S, Yang LP, Curran MP:
Spotlight on bupropion in major depressive disorder.
CNS Drugs, vol. 22, number 7, 613-617, 2008
82. Dhillon S, Yang LPH, Curran MP:
Bupropion. A Review of its use in the management of major depressive disorder.
Drugs, 68, 5, 653-689, 2008
83. Dickson RA, Glazer WM:
Neuroleptic-induced hyperprolactinemia.
Schizophr Res., 35, S75-S86, 1999
84. Dobkin RD, Menza M, Marin H, et al.:
Bupropion improves sexual functioning in depressed minority women: an open-label switch study.
J Clin Psychopharmacol. 2006;26:21Y26.

85. Dossenbach M, Dyachkova Y, Pirildar S, Anders M, Khalil A, Araszkievicz A, Shakhnovich T, Akram A, Pecenak J, McBride M, Treuer T:
Effects of atypical and typical antipsychotic treatments on sexual function in patients with schizophrenia: 12-month results from the Intercontinental Schizophrenia Outpatients Health Outcomes (IC-SOHO) study.
Eur Psychiatry, 21, 4, 251-258, 2006
86. Dossenbach M, Erol A, el Mahfoud Kessaci M, Shaheen MO, Sunbol MM, Boland J, Hodge A, O'Halloran RA, Bitter I:
Effectiveness of antipsychotic treatments for schizophrenia: interim 6-month analysis from a prospective observational study (IC-SOHO) comparing olanzapine, quetiapine, risperidone, and haloperidol.
IC-SOHO Study Group.
J Clin Psych, 65, 3, 312–321, 2004
87. Dossenbach M, Hodge A, Anders M, Molnár B, Peciukaitiene D, Krupka-Matuszczyk I, Tatu M, Bondar V, Pecenak J, Gorjanc T, McBride M:
Prevalence of sexual dysfunction in patients with schizophrenia: international variation and underestimation.
Int. J Neuropsychopharmacol., 8, 195-201, 2005
88. Duncan D, Taylor D:
Treatment of psychotropic-induced hyperprolactinaemia.
Psychiatric Bull, 19, 755-757, 1995
89. Dunn K, Jordan K, Croft PR:
Systematic review of sexual problems : epidemiology and methodology.
J Sex Marital Ther, 28, 399-422, 2002
90. Eberhard J, Lindström E, Holstad M, Levander S:
Prolactin level durin 5 years of risperidone treatment in patients with psychotic disorders,
Acta Psychiatr Scand., 115, 268-276, 2007
91. Fan X, Henderson DC, Chiang E, Briggs LBN, Freudenrich O, Evins AE, Cather C, Goff DC:
Sexual functioning, psychopatology and quality of life in patients with schizophrenia.
Schizophr Res, 94, 119-127, 2007
92. Fava M, Rankin M:
Sexual functioning and SSRIs.
J Clin Psychiatry, 63, (suppl. 5), 13-16, 2002
93. Feiger A., Kiev A, Shrivastava RK, Wisselink PG, Wilcox CS:
Nefazodone versus sertraline in outpatients with major depression: focus on efficacy, tolerability, and effects on sexual function and satisfaction.
J Clin Psychiatry, 57, (Suppl. 2), 53-62, 1996
94. Ferguson JM:

- The effects of antidepressants on sexual functioning in depressed patients: a review.
J Clin Psychiatry, 62, (suppl. 3), 22-34, 2001
95. Ferguson JM, Shrivastava RK, Stahl SM, Hartford JT, Borian F, Ieni J, McQuade RD, Jody D:
 Reemergence of sexual dysfunction in patients with major depressive disorder: double-blind comparison of nefazodone and sertraline.
J Clin Psychiatry, 62, (1), 24-9, 2001
 96. Forster P, King J:
 Fluoxetine for premature ejaculation.
Am J Psychiatry, 151, 10, 1523, 1994
 97. Fortier P, Mottard JP, Trudel G, Even S:
 Study of sexuality-related characteristics in young adults with schizophrenia treated with novel neuroleptics and in a comparison group of young adults.
Schizophr Bull, 29, 3, 559–572, 2003
 98. Fossey MD, Hamner MB:
 Clonazepam-related sexual dysfunction in male veterans with PTSD.
Anxiety, 1, 233–236, 1994
 99. Fujii A, Yasui-Furukori N, Sugawara N, Sato Y, Nakagami T, Saito M, Kaneko S :
 Sexual dysfunction in Japanese patients with schizophrenia treated with antipsychotics.
Progress in Neuropsychopharm Biol Psychiatry, 34, 2, 288–293, 2010
 100. Gardner EA, Johnston JA:
 Bupropion: an antidepressant without sexual pathophysiological action.
J Clin Psychopharmacol., 5, (1), 24-9, 1985
 101. Gartrell N :
 Increased libido in women receiving trazodone.
Am J Psychiatry, 143, 781-782, 1986
 102. Gelenberg AJ, McGahuey C, Laukes C, Okayli G, Moreno F, Zentner L, Delgado P:
 Mirtazapine substitution in SSRI-induced sexual dysfunction.
J Clin Psychiatry, 61, 5, 356-69, 2000
 103. Ghadirian AM, Annable L, Bélanger MC:
 Lithium, benzodiazepines, and sexual function in bipolar patients.
Am. J. Psychiatry, 149, 801–805, 1992
 104. Ghadirian AM, Chouinard G, Annable L:
 Sexual dysfunction and plasma prolactin levels in neuroleptic-treated schizophrenic outpatients.
J Nerv Ment Dis, 170, 453-467, 1982
 105. Giammusso B, Morgia G, Spampinato A, Motta M:
 La paroxetina nel trattamento della eiaculazione precoce
Arch Ital Urol Androl, 69, 1, 11-13, 1997

106. Gil-Nagel A, López-Muñoz F, Serratos JM, Moncada I, García-García P, Alamo C:
Effect of lamotrigine on sexual function in patients with epilepsy.
Seizure, 15, 142–149, 2006
107. Giorgi PM :
Trattamento dell'ejaculazione precoce primitiva con inibitori selettivi dei re-uptake della serotonina (SSRIs).
Riv Sessuol, 24, 3, 256-259, 2000
108. Girgis SM, El-Haggag S, El-Hermouzy S:
A double-blind trial of clomipramine in premature ejaculation.
Andrologia, 14, 4, 364-368, 1982
109. Gitlin MJ:
Psychotropic medications and their effects on sexual function: diagnosis, biology, and treatment approaches.
J. Clin Psychiatry, 56, (9), 406-13, 1994
110. Gitlin MJ:
Effects of depression and antidepressants on sexual functioning.
Bull Menninger Clin., 59, (2), 232-48, 1995
111. Gitlin M.:
Sexual dysfunction with psychotropic drugs.
Expert Opin Pharmacother., 4, (12), 2259-69, 2003
112. Gitlin MJ, , Suri R, Altshuler L, Zuckerbrow-Miller J, Fairbanks L:
Bupropion-Sustained Release as a Treatment for SSRI-Induced Sexual Side Effects.
Journal of Sex & Marital Therapy, 28:131–138, 2002
113. Goodnick PJ, Rodriguez L, Santana O:
Antipsychotics: impact on prolactin levels.
Exp Opin Pharm, 3, 1381–1391, 2002
114. Gopalakrishnan R, Jacob KS, Kuruvilla A, Vasantharaj B, Jacob KJ:
Sildenafil in the treatment of antipsychotic-induced erectile dysfunction: a randomized, double-blind, placebo-controlled, flexible-dose, two-way crossover trial.
Am J Psychiatry, 163, 494-499, 2006
115. Gregorian RS, Golden KA, Bahce A, Goodman C, Kwong WJ, Khan ZM:
Antidepressant-induced sexual dysfunction
Ann Pharmacother, 36, (10), 1557-89, 2002
116. Grootens KP, Van Veelen NM, Peuskens J, Sabbe BG, Thys E, Buitelaar JK, Verkes RJ, Kahn RS:
Ziprasidone versus olanzapine in recent-onset schizophrenia and schizoaffective disorder: results of an 8-week double-blind randomized controlled trial.
Schizophr Bull., 37, 2, 352-361, 2011
doi: 10.1093/schbul/sbp037 First published online: June 19, 2009

117. Haberfellner EM:
Strategies for managing antidepressant-induced sexual dysfunction: systematic review of randomised controlled trials
Pharmacopsychiatry, 40, (5), 173-82, 2007
118. Haddad PM, Sharma SG:
Adverse effects of atypical antipsychotics: differential risk and clinical implications.
CNS Drugs, 21, 911–936, 2007
119. Haddad PM, Wieck A:
Antipsychotic-induced hyperprolactinaemia. Mechanisms, clinical features and management.
Drugs, 64, (20), 2291-2314, 2004
120. Haensel SM, Rowland DL, Kallan KTHK, Koos Slob A:
Clomipramine and sexual function in men with premature ejaculation and controls.
J Urol, 156, 4, 1310-1315, 1996
121. Haensel SM, Klem TM, Hop WC, Slob AK:
Fluoxetine and premature ejaculation: a double-blind, crossover, placebo-controlled study.
J Clin Psychopharmacol, 18, 1, 72-77, 1998
122. Hamer S, Haddad PM:
Adverse effects of antipsychotics as outcome measures.
Br J Psychiatry, 191, suppl. 50, s64-s70, 2007
123. Harden CL:
Sexuality in men and women with epilepsy.
CNS Spectr. 11, 13–18, 2006
124. Harden CL:
Sexuality in women with epilepsy.
Epilepsy Behav, 7, suppl.2, S2-6, 2005
125. Harden CL:
Sexual dysfunction in women with epilepsy.
Seizure, 17, 2, 131-5, 2008
126. Haro JM, Salvador-Carulla L:
The SOHO (Schizophrenia Outpatient Health Outcome) study. Implications for the treatment of schizophrenia
CNS Drugs, 20, 4, 293-301, 2006
127. Herzog AG, Drislane FW, Schomer DL, Pennell PB, Bromfield EB, Dworetzky BA, Farina EL, Frye CA:
Differential effects of antiepileptic drugs on sexual function and hormones in men with epilepsy
Neurology , 65, 1016-1020, 2005
128. Higgins A, Barker P, Begley CM:

- Neuroleptic medication and sexuality: the forgotten aspect of education and care.
J Psychiatr Ment Health Nurs., 12, 439-446, 2005
129. Hindmarch I:
 The behavioural toxicity of antidepressants: effects on cognition and sexual function.
Int Clin Psychopharmacol., 13, (suppl. 6), 65-8, 1998
130. Hirschfeld RMA:
 Sexual dysfunction in depression: disease or drug-related ?
Depression and anxiety, 7, 1, 21-23, 1998
131. Hirschfeld RM:
 Management of sexual side effects of antidepressant therapy.
J Clin Psychiatry , 60, (suppl. 14), 27–30, 1999
132. Hirschfeld RM, Vornik LA.:
 Newer antidepressants: review of efficacy and safety of escitalopram and duloxetine.
J Clin Psychiatry , 65,(suppl. 4), 46–52, 2004
133. Hummer M, Huber J:
 Hyperprolactinaemia and antipsychotic therapy in schizophrenia-
Curr Med Res Opin., 20, (2), 189-97, 2004
134. Hummer M, Kemmler G, Kurz M, Kurzthaler I, Oberbauer H, Fleischhacker WW:
 Sexual disturbances during clozapine and haloperidol treatment for schizophrenia.
Am J Psychiatry, 156, 631-633, 1999
135. Isojärvi JI, Löfgren E, Juntunen, KS, Pakarinen AJ, Päivänsalo M, Rautakorpi I, Tuomivaara L:
 Effect of epilepsy and antiepileptic drugs on male reproductive health.
Neurology, 62, 247-253, 2004
136. Istikoglou C, Vlissides D, Michelidakis K, Michelidakis O:
 Quality of life: sexual dysfunction in young people with schizophrenia treated with ziprasidone.
Eur Neuropsychopharm, 19, S511, 2009
137. Kaplan PM:
 The use of serotonergic uptake inhibitors in the treatment of premature ejaculation.
J Sex Marital Ther, 20, 321- 324, 1994
138. Kara H, Aydin S, Agargun MY, Odabas O, Yilmaz Y:
 The efficacy of fluoxetine in the treatment of premature ejaculation: a double-blind placebo controlled study.
J Urol, 156, 1631-1632, 1996
139. Kaufman KR, Stern L, Mohebati A, Olsavsky A, Hwang J:
 Ziprasidone-induced priapism requiring surgical treatment.
Eur Psychiatry, 21, 1 , 48-50, 2006
140. Kelly DL, Conley RR:

- A randomized double-blind 12-week study of quietapine, risperidone or fluphenazine on sexual functioning in people with schizophrenia.
Psychoneuroendocrinology, 31, 340-346, 2006
141. Kelly DL, Conley RR:
Sexuality and schizophrenia: a review.
Schizophr Bull, 30, 4, 767-779, 2004
 142. Kelly DL, Conley RR:
Evaluating sexual function in patients with treatment-resistant schizophrenia.
Schizophr Res, 63, 195-196, 2003
 143. Keltner NL, McAfee KM, Taylor CL:
Mechanisms and treatments of SSRI-Induced Sexual Dysfunction
Perspect Psychiatr Care, 38, 3, 111-116, 2002
 144. Kennedy SH:
Favorable sexual profile of agomelatine in depressed patients
Eur Neuropsychopharmacol, 16, suppl. 4, S 319, 2006
 145. Kennedy SH, Eisfeld BS, Dickens SE, Bacchiochi JR, Bagby RM:
Antidepressant-induced sexual dysfunction during treatment with moclobemide, paroxetine, sertraline, and venlafaxine.
J Clin Psychiatry, 61, (4), 276-81, 2000
 146. Kennedy SH, Fulton KA, Bagby RM, Greene AL, Cohen NL, Rafi-Tari S:
Sexual function during bupropion or paroxetine treatment of major depressive disorder.
Can J Psychiatry, 51, (4), 234-242, 2006
 147. Kennedy SH, Guilleminault C:
Antidepressant efficacy of agomelatine 25-50 mg versus venlafaxine 75 -150 mg: two randomized, double blind studies.
Eur Neuropsychopharmacol, 16, suppl. 4, S 319-320, 2006
 148. Kennedy SH, Rizvi S, Fulton K, Rasmussen J:
A Double-blind comparison of sexual functioning, antidepressant efficacy and tolerability between agomelatine and venlafaxine XR.
J. Clin. Psychopharmacol., 28, 3, 329-333, 2008
 149. Kennedy SH, Rizvi S:
Sexual dysfunction, depression, and the impact of antidepressants.
J. Clin. Psychopharmacol. 29, 157-164, 2009
 150. Kerwin R, Millet B, Herman E, Banki CM, Lublin H, Pans M, Hanssens L, L'Italien G, McQuade RD, Beuzen J-N:
A multicentre, randomized, naturalistic, open-label study between aripiprazole and standard of care in the management of community-treated schizophrenic patients. Schizophrenia Trial of Aripiprazole: (STAR) study.
Eur Psychiatry, 22, 433-443, 2007

151. Kessler RC, Berglund P, Demler O, Jin R, Koretz D, Merikangas KR, Rush AJ, Walters EE, Wang PS:
The epidemiology of major depressive disorder: results from the National Comorbidity Survey Replication (NCS-R).
JAMA 289, 3095–3105, 2003
152. Khawaja MY:
Sexual dysfunction in male patients taking antipsychotics.
J Ayub Med Coll Abbottabad, 17, 3, 73-75, 2005
153. Kilic S, Ergin H, Baydinc YC :
Venlafaxine extended release for the treatment of patients with premature ejaculation: a pilot, single-blind, placebo-controlled, fixed-dose crossover study on short-term administration of an antidepressant drug.
International J Andrology, 28, 47-52, 2005
154. Kim SW, Paick JS:
Short-term analysis of the effects of as needed use of sertraline at 5 PM for the treatment of premature ejaculation.
Urology, 54, 3, 544-547, 1999
155. Kim SC, Seo KK:
Efficacy and safety of fluoxetine, sertraline and clomipramine in patients with premature ejaculation: a double-blind, placebo controlled study.
J Urology, 159, 425-427, 1998
156. Kindler S, Dolberg OT, Cohen H, Hirschmann S, Kotler M:
The treatment of comorbid premature ejaculation and panic disorder with fluoxetine.
Clinical Neuropharmacology, 20, 5, 466-471, 1997
157. Kinzl JF:
Major depressive disorder, antidepressants and sexual dysfunction.
Neuropsychiatrie: Klinik, Diagnostik, Therapie und Rehabilitation, 23, 2, 134-8, 2009
158. Kleinberg DL, Davis JM, de Coster R, Van Baelen B, Brecher M :
Prolactin levels and adverse events in patients treated with risperidone.
J Clin Psychopharmacol, 19, 1, 57-61, 1999
159. Knegtering H:
Antipsychotic treatment and sexual functioning, the role of prolactin.
Ph.D. Thesis, 2003.
University Medical Center Groningen, University of Groningen, The Netherlands, Department of Psychiatry.
<http://irs.ub.rug.nl/ppn/254939104>
160. Knegtering H, Blijd C, Boks MPM :
Sexual dysfunction and prolactin levels in patients using classical antipsychotics, risperidone or olanzapine.
Schizophr. Res, 36, (1-3), 355-356, 1999

161. Knegtering H, Boks M, Blijd C, Castelein S, van den Bosch RJ, Wiersma D:
A randomized open-label comparison of the impact of olanzapine versus risperidone
on sexual functioning.
J Sex Mar Ther., 32, 315-326, 2006
162. Knegtering H, Bruggeman, R:
What are the effects of antipsychotics on sexual functioning ?
Primary Psychiatry, 14, 2, 51–56, 2007
163. Knegtering H., Castelein S:
Antipsychotics and sexual functioning questionnaire (ASFQ).
In: Knegtering, H. (Ed.): Antipsychotic Treatment and Sexual Functioning, the Role
of Prolactin.
University Medical Center Groningen, The Netherlands, Department of Psychiatry,
2003
<http://irs.ub.rug.nl/ppn/254939104>
164. Knegtering R, Castelein S, Bous H, Van Der Linde J, Bruggeman R, Kliter H, van
den Bosch RJ:
A randomized open-label study of the impact of quetiapine versus risperidone on
sexual functioning.
J Clin Psychopharmacol, 24, 1, 56-61, 2004
165. Knegtering H, Van den Bosch R, Castelein S, Bruggeman R, Sytema S, Van Os J:
Are sexual side effects of prolactin-raising antipsychotics reducible to serum
prolactin?
Psychoneuroendocrinology, 33, 711–717, 2008
166. Knegtering H, Van den Moolen AEGM, Castelein S, Kluiters H, van den Bosch RJ :
What are the effects of antipsychotics on sexual dysfunction and endocrine
functioning ?
Psychoneuroendocrinology, 28, suppl.2, 109-123, 2003
167. Kotin J, Wilbert DE, Verburg D, Soldinger S:
Thioridazine and sexual dysfunction
Am J Psychiatry, 133, 1, 82-85, 1976
168. Kulik FA, Wilbu R.:
Case report of painful ejaculation as a side effect of amoxapine.
Am J Psychiatry, 139, 234-235, 1982
169. Labbate LA:
Psychotropics and sexual dysfunction: the evidence and treatments.
Adv Psychosom Med, 29, 107-30, 2008
170. Lambert M, Conus P, Eide P, Mass R, Karow A, Moritz S, Golks D, Naber D:
Impact of present and past antipsychotic side effects on attitude toward typical
antipsychotic treatment and adherence.
Eur Psychiatry, 19, 7, 415-422, 2004
171. Langworth S, Bodlund O, Agren S:

- Efficacy and tolerability of reboxetine compared with citalopram.
J Clin Psychopharmacol, 26, 121-127, 2006
172. La Torre A.:
Il trattamento psicofarmacologico dell'eiaculazione precoce: analisi della letteratura.
Riv Sessuologia, 23, 4, 379-401, 1999
173. La Torre A:
Impotenze sessuali indotte da psicofarmaci.
pag. 381-399, in: Rifelli G, Rifelli G: "Impotenza maschile, femminile, di coppia".
Scione Editore, Roma, 2010
174. La Torre A, D'Antonio P:
Impotenze organiche di natura neurologica.
Pag. 353-379, in: Rifelli G, Rifelli G: "Impotenza maschile, femminile, di coppia".
Scione Editore, Roma, 2010
175. Laumann EO, Paik A, Rosen RC:
Sexual dysfunction in the United States: prevalence and predictors.
JAMA 281, 537-544, 1999
176. Lee BH, Kim YK, Park SH :
Using aripiprazole to resolve antipsychotic-induced symptomatic hyperprolactinemia: a pilot study.
Prog Neuropsychopharmacol Biol Psychiatry, 30, 4, 714-717, 2006
177. Lee HS, Song DH, Kim CH, Choi HK:
An open clinical trial of fluoxetine in the treatment of premature ejaculation.
J Clin Psychopharmacol, 16, 5, 379-382, 1996
178. Lieberman JA, Stroup TS, McEvoy JP, Swartz MS, Rosenheck RA, Perkins DO, Keefe RSE, Davis SM, Davis CE, Lebowitz BD, Severe J, Hsiao JK:
Effectiveness of antipsychotic drugs in patients with chronic schizophrenia.
N Engl J Med, 353, 12, 1209-1223, 2005
179. Lingjaerde O, Ahlfors UG, Bech P, Dencker SJ, Elgen K:
The UKU side effect rating scale. A new comprehensive rating scale for psychotropic drugs and a cross-sectional study of side effects in neuroleptic-treated patients.
Acta Psychiatr Scand, suppl. 334, 76, 1-100, 1987
180. Liu-Seifert H, Kinon BJ, Tennant CJ, Sniadecki J, Volavka J:
Sexual dysfunction in patients with schizophrenia treated with conventional antipsychotics or risperidone
Neuropsychiatric Disease and Treatment, 5, 47-54, 2009
181. Ludovico GM, Corvasce A, Pagliarulo G, Cirillo-Marucco E, Marano A, Pagliarulo A:
Paroxetine in the treatment of premature ejaculation.
Br J Urology, 77, 881-882, 1996

182. Lukoff D, Gioia-Hasick D, Sullivan G, Golden JS, Nuechterlein KH:
Sex education and rehabilitation with schizophrenic male outpatients.
Schizophr Bull, 12, 669–677, 1986
183. Lydiard RB, Howell EF, Laraia MT, Ballenger JC:
Sexual side effects of alprazolam.
Am. J. Psychiatry, 144, 254–255, 1987
184. MacHale S, Phanjoo AL:
SSRIs to treat sexual dysfunction.
Br J Psychiatry, 164, 6, 854, 1994
185. Macdonald S, Halliday J, MacEwan T, Sharkey V, Farrington S, Wall S, McCreadie RG:
Nithsdale schizophrenia surveys 24: sexual dysfunction. Case-control study.
Br J Psychiatry, 182, 50-56, 2003
186. Maguire GA:
Prolactin elevation with antipsychotic medications: mechanisms of action and clinical consequences.
J Clin Psych, 63, (Suppl 4), 56–62, 2002
187. Mahmoud A, Hayhurst KP, Drake RJ, Lewis SW:
Second Generation Antipsychotics Improve Sexual Dysfunction in Schizophrenia: A Randomised Controlled Trial.
Schizophrenia Research and Treatment
Volume 2011, Article ID 596898, 6 pages
doi:10.1155/2011/596898
188. Malik P:
Sexual dysfunction in schizophrenia.
Curr Opin Psychiatry, 20, (2), 138-42, 2007
189. Malik P:
Sexual dysfunction in schizophrenia.
Focus, 6, 2, 234-238, 2008
190. Marder SR, Essock SM, Miller AL, Buchanan RW, Casey DE, Davis JM, Kane JM, Lieberman JA, Schooler NR, Covell N, Stroup S, Weissman AM, Wirshing DA, Hall CS, Pogach L, Pi-Sunyer X, Bigger JT, Friedman A, Yevich SJ, Davis B, Shon S:
Physical health monitoring of patients with schizophrenia.
Am J Psychiatry, 161, 8, 1334-1349, 2004
191. Marder SR, McQuade RD, Stock E, Kaplita S, Marcus R, Safferman AZ, Saha A, Ali M, Iwamoto T:
Aripiprazole in the treatment of schizophrenia: safety and tolerability in short-term, placebo-controlled trials.
Schizophr Res, 61, (2-3), 123-136, 2003
192. Margolese HC, Assalian P.:
Sexual side effects of antidepressants: a review.

- J Sex Marital Ther, 22, (3), 209-17, 1996
193. Mathew RJ, Weinman ML:
Sexual dysfunctions in depression.
Arch. Sex. Behav. 11, 323–328, 1982
 194. McGahuey CA, Gelenberg AJ, Laukes CA, Moreno FA, Delgado PL, McKnight KM, Manber R:
The Arizona Sexual Experience Scale (ASEX): reliability and validity.
J. Sex Marital Ther. 26, 25–40, 2000
 195. McMahon CG:
Treatment of premature ejaculation with sertraline hydrochloride.
Int J Impot Research, 10, 181-184, 1998
 196. McMahon CG, Touma K:
Treatment of premature ejaculation with paroxetine hydrochloride as needed: 2 single-blind placebo controlled crossover studies
J Urol, 161, 6, 1826-1830, 1999
 197. Mendels J, Camera A, Sikes C:
Sertraline treatment for premature ejaculation.
J Clin Psychopharmacol, 15, 3411-346, 1995
 198. Menon A, Williams RH, Watson S:
Increased libido associated with quetiapine.
J Psychopharmacol, 20, 1, 125-7, 2006
 199. Michael A, Owen A:
Venlafaxine-induced increased libido and spontaneous erections.
Br J Psychiatry, 170, 193, 1997
 200. Micheal A, Ramana R:
Nefazodone-induced spontaneous ejaculation.
Br J Psychiatry, 169, (5), 672-673, 1996
 201. Michelson D, Bancroft J, Targum S, Kim Y, Tepner R:
Female sexual dysfunction associated with antidepressant administration: a randomized, placebo-controlled study of pharmacologic intervention.
Am J Psychiatry, 157, 2, 239-243, 2000
 202. Mir A, Shivakumar K, Williamson RJ, McAllister V, O’Keane V, Aitchison KJ:
Change in sexual dysfunction with aripiprazole: a switching or add-on study.
J Psychopharmacol, 22, 244–253, 2008
 203. Modell JG, Katholi CR, Modell JD, DePalma RL:
Comparative sexual side effects of bupropion, fluoxetine, paroxetine, and sertraline.
Clin Pharmacol Ther., 61, (4), 476-87, 1997
 204. Monteiro WO, Norsirvani HF, Marks IM, Lelliot PT:
Anorgasmia from clomipramine in obsessive-compulsive disorder: a controlled trial.

Br J Psychiatry, 151, 107-112, 1987

205. Montejo AI, Llorca G, Izquierdo JA, Ledesma A, Bousono M, Calcedo A, Carrasco JL, Daniel E, de Dios A, de la Gandara J, Derecho J, Franco M, Gomez MJ, Macias JA, Martin T, Perez V, Sanchez JM, Sanchez S, Vicens E:
Disfunción sexual secundaria a ISRS. Análisis comparativo en 308 pacientes (Sexual dysfunction secondary to SSRIs. A comparative analysis in 308 patients).
Actas Luso Esp Neurol Psiquiatr Cienc Afines, 24, 6, 311-321, 1996
206. Montejo AL:
Prolactin awareness: an essential consideration for physical health in schizophrenia.
Eur Neuropsychopharmacol., 18, suppl 2, S 108-14, 2008
207. Montejo AL, Campos MC, Fombellida C, Franco M, Garcia Mellado J, Perez-Urnaiz A, Olivares JM, Ortega MA, Prieto N, Riesgo Y, Barber I:
Prospective, multicenter, open-label, observational study of sexual function in patients beginning aripiprazole treatment.
Eur Psychiatry, 23, S133–S134, 2008
208. Montejo AL, García M, Espada M, Rico-Villademoros F, Llorca G, Izquierdo JA:
Psychometric characteristics of the psychotropic-related sexual dysfunction questionnaire.
Spanish work group for the study of psychotropic-related sexual dysfunctions.
Actas Esp. Psiquiatr., 28, 141–150, 2000
209. Montejo AL, Llorca G, Izquierdo JA, Rico-Villademoros F:
Incidence of sexual dysfunction associated with antidepressant agents: a prospective multicenter study of 1022 outpatients.
Spanish Working Group for the Study of Psychotropic-Related Sexual Dysfunction.
J Clin Psychiatry, 62, (suppl. 3),10–21, 2001
210. Montejo AL, Majadas S, Rico-Villademoros F, Llorca G, de la Gandara J, Franco M, Martín-Carrasco M, Agüera L, Prieto N:
Frequency of sexual dysfunction in patients with a psychotic disorder receiving antipsychotics.
J Sex Med, 7, 3404–3413, 2010
211. Montejo AL, Prieto N, Terleira A, Matias J, Alonso S, Paniagua G, Naval S, Parra DG, Gabriel C, Mocaër E, Portolés A:
Better sexual acceptability of agomelatine (25 and 50 mg) compared with paroxetine (20 mg) in healthy male volunteers. An 8-week, placebo-controlled study using the PRSEXDQ-SALSEX scale.
J. Psychopharmacol., 24, 1, 111-120, 2010
212. Montejo AL, Rico-Villademoros F:
Psychometric properties of the Psychotropic-Related Sexual Dysfunction Questionnaire (PRSexDQ-SALSEX) in patients with schizophrenia and other psychotic disorders.
J Sex Marital Ther, 34, 227–239, 2008
213. Montejo AL, Rico-Villademoros F:

- Changes in sexual function for outpatients with schizophrenia or other psychotic disorders treated with ziprasidone in clinical practice settings: a 3-month prospective, observational study.
Spanish Working Group for the Study of Psychotropic-Related Sexual Dysfunction
J Clin Psychopharmacol, 28, 5, 568-70, 2008
214. Montejo-Gonzales AI, Llorca G, Izquierdo JA, Ledesma A, Bousoño M, Calcedo A, Carrasco JL, Ciudad J, Daniel E, de Dios A, de la Gandara J, Derecho J, Franco M, Gomez MJ, Macias JA, Martin T, Perez V, Sanchez JM, Sanchez S, Vicens E:
SSRI-induced sexual dysfunction: fluoxetine, paroxetine, sertraline, and fluvoxamine in a prospective, multicenter, and descriptive clinical study of 344 patients.
J Sex Marital Ther, 23, 3, 176-194, 1997
215. Montejo González AL, Rico-Villademoros F, Tafalla M, Majadas S :
A 6-month prospective observational study on the effects of quetiapina on sexual functioning.
J Clin Psychopharmacol, 25, 6, 533-538, 2005
216. Montgomery S.A., Baldwin D.S., Riley A.:
Antidepressant medications: a review of the evidence for drug-induced sexual dysfunction
J Affect Disord, 69, (1-3), 119-140, 2002
217. Mullen B, Brar JS, Vagnucci AH, Ganguli R:
Frequency of sexual dysfunction in patients with schizophrenia on haloperidol, clozapine, or risperidone.
Schizophr Res, 48, 155-158, 2001
218. Murat Basar M, Atan A, Yildiz M, Baykam M, Aydoğanlı L:
Comparison of sertraline to fluoxetine with regard to their efficacy and side effects in the treatment of premature ejaculation.
Arch Esp Urol, 52, 9, 1008-1011, 1999
219. Murthy S, Wylie K:
Sexual problems in patients on antipsychotic medication.
Sexual Relationship Ther., 22, 1 97-107, 2007
220. Nagaraj AK, Pai NB, Rao S:
A comparative study of sexual dysfunction involving risperidone, quetiapine, and olanzapine. *Indian J Psychiatry*, 51, 265–271 2009
221. Nakonezny PA, Byerly MJ, Rush AJ:
The relationship between serum prolactin level and sexual functioning among male outpatients with schizophrenia or schizoaffective disorder: a randomized double-blind trial of risperidone vs. quetiapine.
J Sex Marital Ther., 33, 203-216, 2007
222. NIH:
NIH Consensus Development Panel on Impotence.
J A M A, 270, (1). 83-90, 1993

223. Nelson JC, Pritchett YL, Martynorv O, Mallinckrodt CH, Detke MJ:
The safety and tolerability of duloxetine compared with paroxetine and placebo: a pooled analysis of 4 clinical trials
J Clin Psychiatry, 8, 212-219, 2006
224. Nnaji RN, Friedman T:
Sexual dysfunction and schizophrenia: psychiatrist' attitudes and training needs.
Psychiatric Bull, 32, 208-210, 2008
225. Norden MJ:
Buspirone treatment of sexual dysfunction associated with selective serotonin reuptake inhibitors.
Depression, 12, 109-112, 1994
226. Noyes R, Garvey MJ, Cook BL, Samuelson L:
Problems with tricyclic antidepressant use in patients with panic disorder or agoraphobia: results of a naturalistic follow-up study.
J Clin Psychiatry, 50, 163-169, 1989
227. Nunes LVA, Dieckmann LHJ, Lacaz FS, Bressan R, Matsuo T, Mari JDJ:
The accuracy of the Arizona Sexual Experience Scale (ASEX) to identify sexual dysfunction in patients of the schizophrenia spectrum.
Revista de Psiquiatria Clínica, 36, 5, 182-9, 2009
<http://www.hcnet.usp.br/ipq/revista/vol36/n5/pdfs/197.pdf>
228. Olfson M, Uttaro T, Carson WH, Tafesse E :
Male sexual dysfunction and quality of life in schizophrenia.
J Clin Psychiatry, 66, 3, 331-338, 2005
229. Orazio C, Bortolotti F, Monteleone P:
Gli psicofarmaci e la funzionalità sessuale nella pratica clinica.
<http://www.psichiatrionline.it/ital/riviste/quaderni/orazio.htm>
230. Organizzazione Mondiale della Sanità (World Health Organization):
ICD-10
Masson, 1996
231. Penovich PE:
The effects of epilepsy and its treatment on sexual and reproductive function.
Epilepsia, 41, (suppl. 2), S53–S61, 2000
232. Perez V, Canas F, Tafalla M:
A 12-month, open-label, comparative study of quetiapine and risperidone in the acute and long-term treatment of schizophrenia.
Int Clin Psychopharmacol, 23, 138–149, 2008
233. Perlis RH, Laje G, Smoller JW, Fava M, Rush AJ, McMahon FJ:
Genetic and Clinical Predictors of Sexual Dysfunction in Citalopram-Treated Depressed Patients
Neuropsychopharmacology, 34, 1819–1828, 2009

234. Peuskens J:
Risperidone in the treatment of patients with chronic schizophrenia: a multinational, multicentre, double-blind, parallel-group study versus haloperidol. Risperidone Study Group.
Br J Psychiatry, 166, 712–726, 1995
235. Peuskens J, Sienaert P, De Hert M:
Sexual dysfunction: the unspoken side effect of antipsychotics
Eur Psychiatry, 13, (suppl 1), 23s-30s, 1998
236. Philipp M, Kohnen R, Benkert O:
A comparison study of moclobemide and doxepin in major depression with special reference to effects on sexual dysfunction.
Int Clin Psychopharmacol., 7, (3-4), 149-53, 1993
237. Piazza LA, Markowitz JC, Kocsis JH, Leon AC, Portera L, Miller NL, Adler D:
Sexual functioning in chronically depressed patients treated with SSRI antidepressants: a pilot study.
Am J Psychiatry, 154, 1757-1759, 1997
238. Pollack MH, Reiter S, Hammerness P:
Genitourinary and sexual adverse effects of psychotropic medication.
Int. J. Psychiatry Med., 22, 305–327, 1992
239. Potkin SG, Saha AR, Kujawa MJ, Carson WH, Ali M, Stock E, Stringfellow J, Ingenito G, Marder SR:
Aripiprazole, an antipsychotic with a novel mechanism of action, and risperidone vs placebo in patients with schizophrenia and schizoaffective disorder.
Arch Gen Psychiatry, 60, 7, 681-690, 2003
240. Pryor JL, Althof SE, Steidle C, Rosen RC, Hellstrom WJ, Shabisigh R, Miloslavsky M, Kell S:
Efficacy and tolerability of dapoxetine in treatment of premature ejaculation: an integrated analysis of two double-blind, randomised controlled trials.
Lancet, 368 (9539), 929-937, 2006
241. Reeves RR, Kimble R:
Prolonged erections associated with ziprasidone treatment: a case report.
J Clin Psychiatry, 64, 1, 97-8, 2003
242. Rettenbacher MA, Hofer A, Ebenbichler C, Baumgartner S, Edlinger M, Engl J, Kaser S, Kemmler G, Malik P, Tschoner A, Fleischhacker WW:
Prolactin Levels and Sexual Adverse Effects in Patients With Schizophrenia During Antipsychotic Treatment.
J Clin Psychopharmacology, 30, 6, 711-715, 2010
doi: 10.1097/JCP.0b013e3181faf0e3
243. Rosen RC, Lane RM, Menza M:
Effects of SSRIs on sexual function: a critical review.
J Clin Psychopharmacol., 19, (1), 67-85, 1999

244. Rosenberg KP, Bleiberg KL, Koscis J, Gross C:
A survey of sexual side effects among severely mentally ill patients taking psychotropic medications: impact on compliance.
J Sex Marital Ther., 29, (4), 289-296, 2003
245. Rossi A, Vita A, Tiradritti P, Romeo F:
Assessment of clinical and metabolic status, and subjective well-being, in schizophrenic patients switched from typical and atypical antipsychotics to ziprasidone.
Int Clin Psychopharmacol, 23, 4, 216-22, 2008
246. Rosso C., Furlan P. M.:
La terapia psicosessuologica e psicofarmacologica dell'eiaculazione precoce.
Riv Sessuol, 22, 3, 267-279, 1998
247. Rothschild AJ:
Sexual side effects of antidepressants.
J Clin Psychiatry, 61, (suppl 11), 28-36, 2000
248. Rowland DL, Tai WL, Brummett K, Slob AK:
Predicting responsiveness to the treatment of rapid ejaculation with 25 mg clomipramine as needed.
Int J Impot Res, 16, 354-357, 2004
249. Rudkin L, Taylor M, Hawton K:
Strategies for managing sexual dysfunction induced by antidepressant medication.
Cochrane Database of Systematic Reviews, Issue 4, Art. No.: CD003382, 2004.
DOI: 10.1002/14651858.CD003382.pub2.
250. Safarinejad MR:
Comparison of dapoxetine versus paroxetine in patients with premature ejaculation: a double blind, placebo-controlled, fixed-dose, randomized study.
Clin Neuropharmacol, 29, (5), 243-52, 2006
251. Safarinejad MR:
Safety and efficacy of escitalopram in the treatment of premature ejaculation: a double-blind placebo-controlled, fixed dose, randomized study.
J Clin Psychopharmacol., 27, 5, 444-450, 2006
252. Safarinejad MR:
The effects of the adjunctive bupropion on male sexual dysfunction induced by a selective serotonin reuptake inhibitor: a double-blind placebo-controlled and randomized study
B J U International, 11 febb. 2010
doi:10.1111/j.1464-410X.2009.09154.x
253. Safarinejad MR:
Reversal of SSRI-induced female sexual dysfunction by adjunctive bupropion in menstruating women: a double-blind, placebo-controlled and randomized study
***J Psychopharmacol*, 25, 3, 370-378, 2011**

254. Saferinejad MR, Hosseini SY:
Safety and efficacy of citalopram in the treatment of premature ejaculation: a double-blind placebo-controlled, fixed dose, randomized study.
Int J Impot Res, 18, (2), 164-169, 2006
255. Safarinejad MR, Hosseini SY, Asgari MA, Dadkhah F, Taghva A:
A randomized, double-blind, placebo-controlled study of the efficacy and safety of bupropion for treating hypoactive sexual desire disorder in ovulating women
B J U International, 11 febb. 2010
doi:10.1111/j.1464-410X.2010.09208.x
256. Saiz-Ruiz J, Montes JM, Ibanez A, Diaz M, Vicente F, Pelegrin C, Vinas R, Arias F, Carrasco JL, Ferrando L:
Assessment of sexual functioning in depressed patients treated with mirtazepine: a naturalistic 6-month study.
Hum Psychopharmacol., 20, 6, 435-440, 2005
257. Schweitzer I, Maguire K, Ng C:
Sexual side-effects of contemporary antidepressants: review
Australian and New Zealand Journal of Psychiatry, 43, 795-808, 2009
258. Segraves RT:
Effects of psychotropic drugs on human erection and ejaculation.
Arch Gen Psychiatry, 46, 275-284, 1989
259. Segraves RT.
Antidepressant-induced sexual dysfunction.
J Clin Psychiatry, 59, (suppl. 4), 48-54, 1998
260. Segraves RT, Croft H, Kavoussi R, Ascher JA, Batey SR, Foster VJ, Bolden-Watson C, Metz A:
Bupropion sustained release (SR) for the treatment of hypoactive sexual desire disorder (HSDD) in non depressed women.
J of Sex and Marital Therapy, 27, 303-316, 2001
261. Segraves RT, Saran A, Segraves K, Maguire E:
Clomipramine versus placebo in the treatment of premature ejaculation: a pilot study.
J Sex Marital Ther, 19, 3, 198-200, 1993
262. Serretti A, Chiesa A :
Treatment-emergent sexual dysfunction related to antidepressants: a meta-analysis.
J Clin Psychopharmacol, 29, 3, 259-66, 2009
263. Serretti A, Chiesa A :
Antidepressivi e disfunzione sessuale: epidemiologia, meccanismi e strategie di trattamento.
Giorn Ital Psicopatol, 16, 104- 113, 2010
264. Serretti A, Chiesa A :
A meta-analysis of sexual dysfunction in psychiatric patients taking antipsychotics.

International Clinical Psychopharmacology, 26, 3, 130-140, 2011
DOI: 10.1097/YIC.0b013e328341e434

265. Serretti A, Chiesa A :
Sexual Side Effects of Pharmacological Treatment of Psychiatric Diseases.
Nature, 89, 1, 142- 147, 2011
266. Shabsigh R, Patrick DL, Rowland DL, Bull SA, Tesfaye F, Rothman M:
Perceived control over ejaculation is central to treatment benefit in men with
premature ejaculation: results from phase III trials with dapoxetine.
B J U Int, 102, (7), 824-8, 2008
267. Smith DM, Levitte SS:
Association of fluoxetine and return of sexual potency in three elderly man.
J Clin Psychiatry, 54, 317-319, 1999
268. Smith S, Wheeler MJ, Murray R, O'Keane V:
The effects of antipsychotic-induced hyperprolactinaemia on the hypothalamic-
pituitary-gonadal axis.
J Clin Psychopharmacol, 22, 109-114, 2002
269. Smith SM:
The impact of hyperprolactinaemia on sexual function in patients with psychosis.
J Psychopharmacol, 22, (2 suppl.), 63-9, 2008
270. Smith SM, O'Keane V, Murray R:
Sexual dysfunction in patients taking conventional antipsychotic medication.
Br J Psychiatry, 181, 49-55, 2002
271. Stahl SM:
Stahl's Essential Psychopharmacology: Neuroscientific Basis and Practical
Applications (third edition).
Cambridge University Press, 2008
272. Sthal SM:
The psychopharmacology of sex, Part 1: Neurotransmitters and the 3 phases of the
human sexual response.
J Clin Psychiatry, 62, 2, 80-81, 2001
273. Sthal SM:
The psychopharmacology of sex, Part 2: Effects of drugs on the 3 phases of the
human sexual response.
J Clin Psychiatry, 62, 3, 147-148, 2001
274. St. Lawrence JS, Madakasira S:
Evaluation and treatment of premature ejaculation: a critical review.
Comprehensive Psychiatry, 22, 1, 77- 97, 1992
275. Stimmel GL, Gutierrez MA:
Sexual dysfunction and psychotropic medications
CNS Spectr., 11, (8 Suppl 9), 24-30, 2006

276. Strassberg DS, De Gouveia Brazao CA, Rowland DL, Tan P, Slob K :
Clomipramine in the treatment of rapid (premature) ejaculation.
J Sex Marital Ther, 25, 89-101, 1999
277. Strous RD, Kupchik M, Roitman S, Schwartz S, Gonen N, Mester R, Weizman A, Spivak B:
Comparison between risperidone, olanzapine, and clozapine in the management of chronic schizophrenia: a naturalistic prospective 12-week observational study.
Hum Psychopharmacol, 21, 4, 235-243, 2006
278. Sullivan G :
Increased libido in three men treated with trazodone.
J Clin Psychiatry, 49, 202-203, 1988
- 279. Talbot JA, Sheldrick R, Caswell H, Duncan S:**
Sexual function in men with epilepsy: how important is testosterone?
Neurology. 70, 1346-1352, 2008
280. Taylor MJ
Strategies for managing antidepressant-induced sexual dysfunction: a review
Curr Psychiatry Rep., 8, (6), 431-6, 2006
281. Taylor MJ, Rudkin L, Hawton K
Strategies for managing antidepressant-induced sexual dysfunction: systematic review of randomised controlled trials.
J Affect Disord, 88 , (3), 241-54, 2005
282. Thase ME, Clayton AH, Haight BR, Thompson AH, Modell JG, Johnston Ja:
A double-blind comparison between bupropion XL and venlafaxine XR. Sexual functioning, antidepressant efficacy and tolerability
J Clin Psychopharmacol., 26, (5), 482-488, 2006
283. Thase ME, Haight BR, Richard N, Rockett CB, Mitton M, Modell JG, VanMeter S, Harriett AE, Wang Y:
Remission rates following antidepressant therapy with bupropion or selective serotonin reuptake inhibitors: a meta-analysis of original data from 7 randomized controlled trials.
J Clin Psychiatry, 66: 974-981, 2005
284. Treuer T, Anders M, Bitter I, Dobre G, Pecenak J, Dyachkova Y, Harrison G, O'Mahoney J:
Effectiveness and tolerability of schizophrenia treatment in central and eastern Europe: results after 1 year from a prospective, observational study (IC- SOHO).
Int J Psychiatr Clin Pract, 10, 2, 78-90, 2006
285. Uçok A, Incensu C, Aker T, Ercoc S:
Sexual dysfunction in patients with schizophrenia on antipsychotic medication.
Eur Psychiatry, 22, 328-333, 2007
286. Van Bruggen M, Van Amelsvoort T, Wouters L, Dingemans P, de Haan L, Linszen D:

- Sexual dysfunction and hormonal changes in first episode psychosis patients on olanzapine or risperidone.
Psychoneuroendocrinology, 34, 989–995, 2009
287. Vanderkooy JD, Kennedy SH, Bagby RM:
Antidepressant Side Effects in Depression Patients Treated in a Naturalistic Setting: a study of bupropion, moclobemide, paroxetine, sertraline, and venlafaxine.
Can J Psychiatry, 47, (2), 174-80, 2002
288. Versiani M, Moreno R, Ramakers-van Moorsel CJA, Schutte AJ:
Comparison of the effects of mirtazepine and fluoxetine in severely depressed patients.
CNS Drugs, 19, 137-146, 2005
289. Villeneuve J, Demers M, Almeras N, Proulx I, Labelle A, Bourget D, Mottard J, Roy M, Bouchard R:
Advantages of quetiapine on sexual dysfunctions: a switch study.
Schizophr Bull, 31, 572, 2005
290. Volavka J, Czobor P, Cooper TB, Sheitman B, Lindenmayer JP, Citrome L, McEvoy JP, Lieberman JA:
Prolactin levels in schizophrenia and schizoaffective disorder patients treated with clozapine, olanzapine, risperidone, or haloperidol.
J Clin Psychiatry, 65, 1, 57-61, 2004
291. Wade A, Crawford GM, Angus M, Wilson R, Hamilton L:
A randomised, double-blind, 24-week study comparing the efficacy and tolerability of mirtazepine and paroxetine in depressed patients in primary care.
Int Clin Psychopharmacol., 18, 133-141, 2003
292. Waldinger MD:
Lifelong premature ejaculation: from authority-based to evidence-based medicine.
B J U Int, 93, 201-207, 2004
293. Waldinger MD, Olivier B :
Selective serotonin reuptake inhibitor-induced sexual dysfunction: clinical and research considerations.
Int Clin Psychopharmacol., 13, (Suppl 6), S27-33, 1998
294. Waldinger MD, Hengeveld MW, Zwinderman AH:
Paroxetine treatment of premature ejaculation: a double-blind, randomized, placebo-controlled study.
Am J Psychiatry, 151, 1377-1379, 1994
295. Waldinger MD, Hengeveld MW, Zwinderman AH:
Ejaculation-retarding properties of paroxetine in patients with primary premature ejaculation: a double-blind, randomized, dose-response study.
Br J Urol, 79, 592-595, 1997
296. Waldinger MD, Hengeveld MW, Zwinderman AH, Oliver B:
Effect of SSRI antidepressant on ejaculation: a double-blind, randomized, placebo-

- controlled study with fluoxetine, fluvoxamine, paroxetine and sertraline.
J Clin Psychopharmacol, 18, 4, 274-281, 1998
297. Waldinger MD, Zwindermann AH, Olivier B:
Antidepressants and ejaculation: a double-blind, randomized, placebo-controlled, fixed-dose study with paroxetine, sertraline and nefazodone.
J Clin Psychopharmacol, 21, (3), 293-297, 2001
298. Waldinger MD, Zwindermann AH, Olivier B:
Antidepressants and ejaculation: a double-blind, randomized, fixed-dose study with mirtazapine and paroxetine.
J Clin Psychopharmacol, 23, 467-70, 2003
299. Waldinger MD, Zwindermann AH, Olivier B:
On-demand treatment of premature ejaculation with clomipramine and paroxetine: a randomized, double-blind fixed-dose study with stopwatch assessment.
Eur. Urol, 46, (4), 510-6, 2004
300. Waldinger MD, Zwindermann AH, Schweitzer DH, Olivier B:
Relevance of methodological design for the interpretation of efficacy of drug treatment of premature ejaculation: a systematic review and meta-analysis.
Int J Impot Res, 16, (4), 369-381, 2004
301. Walker PW, Cole JO, Gardner EA, Hughes AR, Johnston JA, Batey SR, Lineberry CG:
Improvement in fluoxetine-associated sexual dysfunction in patients switched to bupropion.
J Clin Psychiatry, 54, (12), 459-65, 1993
302. Warner MD, Peadar CA, Whiteford HA, Hollister LE:
Trazodone and priapism.
J Clin Psychiatry, 48, 244-245, 1987
303. Weisler R, Joyce M, McGill L, Lazarus A, Szamosi J, Eriksson H:
Extended release quetiapine fumarate monotherapy for major depressive disorder: results of a double-blind, randomized, placebo-controlled study.
CNS Spectr, 14, 299-313, 2009
304. Werneke U, Northey S, Bhugra D:
Antidepressant and sexual dysfunction
Acta Psychiatr Scand, 114, 6, 384-397, 2006
305. Westheide J, Cohen S, Bender S, Cooper-Mahkorn D, Erfurth A, Gastpar M, Huber TJ, Maier W, Murafi A, Rothermund M, Signerski J, Sträter B, Teusch L, Weig W, Welling A, Kühn K-U:
Sexual dysfunction in psychiatric inpatients the role of antipsychotic medication.
Pharmacopsychiatry, 40, 4, 140-145, 2007
306. Westheide J, Cvetanovska G, Albrecht C, Bliesener N, Cooper-Mahkorn D, Creutz C, Hornung W-P, Klingmüller D, Lemke MR, Maier W, Schubert M, Sträter B, Kühn K-U:

- Prolactin, subjective well-being and sexual dysfunction: an open label observational study comparing quetiapine with risperidone.
J Sex Med., 5, 12, 2816-26, 2008
307. Wheatley D:
Triple-blind, placebo-controlled trial of Ginkgo biloba in sexual dysfunction due to antidepressant drugs.
Hum Psychopharmacol, 19, 545-548, 2004
308. Wieck A, Haddad M:
Antipsychotic-induced hyperprolactinaemia in women: pathophysiology, severity and consequences. Selective literature review.
Br J Psychiatry, 182, 199-204, 2003
309. Williams VSL, Baldwin DS, Hogue SL, Fehnel SE, Hollis KA, Edin HM:
Estimating the prevalence and impact of antidepressant-induced sexual dysfunction in 2 European countries: a cross-sectional patient survey.
J Clin Psychiatry, 67, 204-210, 2006
310. Wirshing DA, Pierre JM, Marder SR, Saunders CS, Wirshing WC:
Sexual side effects of novel antipsychotic medications.
Schizophr Res, 56, 25-30, 2002
311. Wise TN:
Sertraline as a treatment for premature ejaculation.
J Clin Psychiatry, 55, 417, 1994
312. Yeragani VK, Gershon S:
Priapism related to phenazine therapy.
N Eng J Med., 317, (2), 117-118, 1987
313. Yilmaz U, Tatlisin A, Turan H, Arman F, Ekmekcioglu O:
The effects of fluoxetine on several neurophysiological variables in patients with premature ejaculation
J Urol, 161, 1, 107-111, 1999
314. Yusufi B, Mukherjee S, Flanagan R, Paton C, Dunn G, Page E, Barnes TRE:
Prevalence and nature of side effects during clozapine maintenance treatment and the relationship with clozapine dose and plasma concentration.
Int Clin Psychopharmacol, 22, 238-243, 2007
315. Zahariou A, Papaioannou P, Karagiannis G:
The efficacy of duloxetine in the treatment of premature ejaculation
International Urology and Nephrology, 39, 115-118, 2007
316. Zajecka J:
Strategies for the treatment of antidepressant-related sexual dysfunction.
J Clin Psychiatry, 62, suppl. 3, 35-43, 2001
317. Zajecka J, Mitchell S, Fawcett J :

- Treatment-emergent changes in sexual function with selective serotonin reuptake inhibitors as measured with the Rush Sexual Inventory.
Psychopharmacol Bull., 33, 755-760, 1997
318. Zemishlany Z, Weizman A:
The impact of mental illness on sexual dysfunction.
Balon R (ed): Sexual Dysfunction. The Brain-Body Connection.
Adv Psychosom Med., 29, 89-106, 2008
319. Zourková A, Cesková E, Hadasová E, Ravcuková B:
Links among paroxetine-induced sexual dysfunctions, gender, and CYP2D6 activity.
J Sex Marital Ther, 33, 4, 343-55, 2007
320. Zourková A, Hadasová E:
Relationship between CYP 2D6 metabolic status and sexual dysfunction in paroxetine treatment.
J Sex Marital Ther., 28, 5, 451-61, 2002